PHILIPS
Trilogy EV300 ventilator
Ordering and accessories guide

PHILIPS
PHILIPS

Contents

Ventilator unit 6
Power cords 8
O_2 hoses 9
Instructions for use 10
Roll stand and accessories 11
Patient circuits 14
, X P L G L \ F D W L R Q20G H Y L F H V
Patient interfaces 22
Additional parts and accessories 36
Part number index 39
Alphabetic index 42

Trilogy EV300 ventilator

The Trilogy EV300 ventilator provides invasive and noninvasive, positive-pressure ventilation to pediatric through adult patients with a minimum weight of 2.5 kg. It is an electronically controlled, pneumatic ventilation system with an integrated air compressing system. It is compatible with a range of accessories to provide a variety of therapy modes.

Features

Ventilation

- Invasive and noninvasive volume and pressure modes
- Leak compensation through Auto-Trak, which automatically adjusts trigger and cycle thresholds
- Compatible with patient circuits with passive and active exhalation valves
- Suitable for adult and pediatric patients down to 2.5 kg

Monitoring

- Numeric patient data display
- Digital airway pressure manometer
- (LUHFW SUR[LPDO]RZ DQG Vensor measurements when used with active]RZ FLUFXLW
- FiO_2 monitoring
- $EtCO_2$ with CO_2 accessory
- SpO_2 and pulse rate with pulse oximeter accessory

Electrical and gas supplies

- Internal and external, hot-swappable lithium-ion batteries are standard features
- Integral O_2 blender uses either high-SUHVVXUH RU 2nRZ]RZ 3
- Integral blower

Mounting

- Roll stand with O_2 cylinder holder and O_2 manifold

Accessories

- Compatible with dual- and single-limb circuits
- Compatible with passive circuits, which incorporate exhalation ports, and active circuits, which use exhalation valves

Others

- Compact and lightweight with integrated carrying handle for transport
- Identical user interface, modes, and FLUFXLW FRQ\JXUDWLRQV DV LW' namesake, to facilitate the hospital to home transition
- Remote alarm connectivity

Con guring the Trilogy EV300

Item	Description	Page
1	Ventilator unit	5
2	Power cord*	8
3	O_2 hose and tting*	9
4	Instructions for use*	10
5	Roll stand and accessories	11
6	Patient circuit	14
7	Humidi cation device	20
8	Patient interface	22
9	Additional parts and accessories	36

-QFOXGHG LQ UHJLRQ VSHFL\F YHQWLODWRU XQLWV -I \RX RUGHU WKH LQWHUQDWLRQDO YHQWLODWRU XQLW order these parts separately.

1 Ventilator unit

3UHP DQ LQWHUQDWLRQDO YHUVLRQ XQOHVV D UHJLRQ VSHFL\F YHUVLRQ LV OLVWHG 8KH contents of the ventilator unit are listed on p. 5.

Description	Order number	Part number
Trilogy EV300 ventilator, international	989805661891	IN2200X15B
Trilogy EV300 ventilator, international*	989805667221	FX2200X15B
Trilogy EV300 ventilator, Benelux	989805663381	BL2200X15B
Trilogy EV300 ventilator, Brazil	989805661841	BR2200X18B
Trilogy EV300 ventilator, Canada	989805661851	CA2200X12B
Trilogy EV300 ventilator, China	989805661861	CN2200X17B
Trilogy EV300 ventilator, Eastern Europe	989805663381	EE2200X15B
Trilogy EV300 ventilator, EU	989805663401	EU2200X15B
Trilogy EV300 ventilator, EU (non-Bluetooth)	989805663411	EU2200X19
Trilogy EV300 ventilator, France	989805663421	FR2200X14B
Trilogy EV300 ventilator, Germany	989805661871	DE2200X13B
Trilogy EV300 ventilator, Great Britain	989805663431	GB2200X15B
Trilogy EV300 ventilator, Iberia	989805663391	ES2200X15B
Trilogy EV300 ventilator, India	989805663441	IA2200X15B
Trilogy EV300 ventilator, Italy	989805663451	IT2200X21B
Trilogy EV300 ventilator, Korea	989805661911	KR2200X15B
Trilogy EV300 ventilator, Nordics	989805663461	ND2200X15B
Trilogy EV300 ventilator, Russia	989805663001	RU2200X15B
Trilogy EV300 ventilator, Turkey	989805663011	TR2200X15B
Trilogy EV300 ventilator, USA	989805661881	DS2200X11B

* Country exclusions may apply.

Contents of ventilator unit

International device

8KH LQWHUQDWLRQDO 8ULORJ\ ): LQFOXGHV WKH IROOLRZLQJ

Description	Order number	Part number
Trilogy EV300 ventilator unit. A DISS male O_2 tting comes standard on the ventilator unit. Order an additional, region-speci c tting if needed (p. 9).	—	—
Filter, particulate, each	Part of 989805662301	Part of 1134430
Patient circuit, single-limb, passive, non-heated, single - use, 22- mm ID, each	Part of 989805662101	Part of 1132340
Clamp, power cord (Not shown)	989805662271	1134347



'RQWHQWV RI LQWHUQDWLRQDO):

6HJLRQ VSHFL\F GHYLFH

8KH UHJLRQ VSHFL\F 8ULORJ\ ): LQFOXGHV WKH IROORZLQJ

Description	Order number	Part number
Trilogy EV300 ventilator unit	—	—
Filter, particulate, each	Part of 989805662301	Part of 1134430
Patient circuit, single-limb, passive, non-heated, single - use, 22- mm ID, each	Part of 989805662101	Part of 1132340
Clamp, power cord (Not shown)	989805662271	1134347
Power cord	See table on p. 7	
O_2 hose		
O_2 tting		
Instructions for use		
O_2 input quick connect (Not shown)		
Flex tracheal adapter (Not shown)		



'RQWHQWV RI UHJLRQ VSHFL\F 8ULORJ\ ): 9Q
vary by region. Some versions contain additional parts.

6HJLRQ VSHFL\F YHQWLODWRU FRQWHQWV

Region	Power cord Order number (Part number) (p. 8)	O_2 hose Order number (Part number) (p. 9)	O_2 \W W L Q J Order number (Part number) (p. 9)	Instructions for use Order number/ (Part number) (p. 10)	O_2 input quick-connect (p. 37)	Flex tracheal adapter (p. 17)
Benelux	989805662171 (1133284)	989805613851 (1054836)	989805621691 (1071790)	989805662661 (1143299) 989805662551 (1143288) 989805662491 (1143282)		—
Brazil	989805662211 (1133468)	989805616881 (1001664)	—	989805662701 (1143303)	—	—
Canada	989805662201 (1133287)	989805616201 (1062978)	989805621701 (1071791)	989805662471 (1143280) 989805662561 (1143289)	—	
China	989805662221 (1133469)	989805613851 (1054836)	989805621691 (1071790)	989805662781 (1143311)	—	—
Eastern Europe	989805662171 (1133284)	989805613851 (1054836)	989805621691 (1071790)	989805662441 (1143217) 989805662711 (1143304) 989805662731 (1143306)		—
EU	989805662171 (1133284)	989805613851 (1054836)	989805621691 (1071790)	—		—
France	989805662171 (1133284)	989805613851 (1054836)	989805621691 (1071790)	989805662551 (1143288)		—
Germany	989805662171 (1133284)	989805612551 (1054833)	989805621691 (1071790)	989805662491 (1143282)		—
Great Britain	989805662241 (1133471)	989805615961 (1054832)	989805621691 (1071790)	989805662471 (1143280)		—
Iberia	989805662171 (1133284)	989805613851 (1054836)	989805621691 (1071790)	989805662521 (1143285) 989805662691 (1143302)		—
India	989805662251 (1133472)	989805613851 (1054836)	989805621691 (1071790)	989805662471 (1143280)	—	—
Italy	989805662171 (1133284)	989805615971 (1054834)	989805621691 (1071790)	989805662601 (1143293)		—
Korea	989805662171 (1133284)	989805616881 (1001664)	—	989805662621 (1143295)	—	—
Nordics	989805662171 (1133284)	989805615961 (1054832)	989805621691 (1071790)	989805662451 (1143278) 989805662541 (1143287) 989805662671 (1143300) 989805662761 (1143309)		—
Russia	989805662171 (1133284)	989805616881 (1001664)	—	989805662721 (1143305)		—
Turkey	989805662241 (1133471)	989805616881 (1001664)	—	989805662771 (1143310)		—
USA	989805662201 (1133287)	989805616881 (1001664)	—	989805662461 (1143279)	—	

❷ Power cords

Power cords are 2.44 m (8 ft) long unless otherwise indicated.

Region	Description	Order number	Part number
Argentina	Power cord, Trilogy EV300, Argentina	989805662381	1136845
Australia, New Zealand	Power cord, Trilogy EV300, Australia	989805662191	1133286
Brazil	Power cord, Trilogy EV300, Brazil	989805662211	1133468
China, Hong Kong, Taiwan	Power cord, Trilogy EV300, China	989805662221	1133469
Armenia, Austria, Azerbaijan, Belgium, Bolivia, Bosnia-Herzegovina, Bulgaria, Chile, Croatia, Czech Republic, Denmark, Egypt, Estonia, Finland, France, Germany, Greece, Hungary, Indonesia, Italy, Latvia, Libya, Lithuania, Macedonia, Mongolia, Morocco, Netherlands, Norway, Peru, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, South Korea, Spain, Sweden, Switzerland, Tajikistan, Tunisia, Turkey, Turkmenistan, Vietnam	Power cord, Trilogy EV300, continental Europe (Schuko)	989805662171	1133284
India	Power cord, Trilogy EV300, India	989805662251	1133472
USA, Canada, Colombia, Honduras, Mexico, Philippines, Puerto Rico, Thailand	Power cord, Trilogy EV300, North America	989805662201	1133287
	Power cord, Trilogy EV300, North America, 4 - m (13- ft)	989805662231	1133470
Bahrain, Ireland, Kenya, Kuwait, Lebanon, Oman, Malaysia, Qatar, Saudi Arabia, Singapore, United Arab Emirates, United Kingdom	Power cord, Trilogy EV300, United Kingdom	989805662241	1133471















3 O_2 hoses

Hoses are 2.5 m (8 ft) long unless otherwise indicated.

Region	Description	Order number	Part number
Australia, New Zealand	Hose, O_2, SIS x SIS, white	989805616871	1001659
Denmark, Finland, Norway, Sweden	Hose, O_2, NIST x AGA, white	989805615961	1054832
Canada	Hose, O_2, DISS male x DISS female, 3 - m (10- ft)	989805616201	1062978
Singapore	Hose, O_2, DISS female x DISS female, 3 - m (10- ft)	989805612421	1002556
Armenia, Austria, Azerbaijan, Germany, Libya, Mongolia, Russia, Switzerland, Tajikistan, Turkmenistan	Hose, O_2, NIST x DIN, white	989805612551	1054833
Bahrain, Egypt, Ireland, Kenya, Kuwait, Lebanon, Oman, Qatar, Saudi Arabia, United Arab Emirates, United Kingdom	Hose, O_2, NIST x BS, white	989805612691	1001663
Greece, Italy, Morocco, Tunisia	Hose, O_2, NIST x AFNOR, white	989805612701	1054835
Italy, Portugal, Spain	Hose, O_2, NIST x UNIFOR, white	989805615971	1054834
Argentina, Bolivia, Brazil, Chile, Colombia, Honduras, Indonesia, Israel, Mexico, Panama, Peru, Philippines, Puerto Rico, South Korea, Thailand, Turkey, USA, Vietnam	Hose, O_2, DISS female x DISS female, green, 3 - m (10- ft)	989805616881	1001664
Continental Europe, China, Hong Kong, India, Ireland, Malaysia, Pakistan, South Africa, Taiwan	Hose, O_2, NIST x NIST, white	989805613851	1054836


1001659


1054832


1062978


1002556


1054833


1001663


1054835


1054834

1001664


1054836

O_2 ttings

Description	Order number	Part number
Fitting, O_2, Trilogy, DISS male	989805621681	1071789
Fitting, O_2, Trilogy, DISS female (Canada)	989805621701	1071791
Fitting, O_2, Trilogy, NIST	989805621691	1071790
Fitting O_2, Trilogy, SIS	989805621711	1071792


1071789


1071790


1071791


1071792

4 Instructions for use

Additionally, electronic copies are available at www.philips.com/hrcmanuals.

Description	Order number	Part number
Instructions for use, Trilogy EV300, English, non-U.S.	989805662471	1143280
Instructions for use, Trilogy EV300, English, U.S.	989805662461	1143279
Instructions for use, Trilogy EV300, Arabic	989805662481	1143281
Instructions for use, Trilogy EV300, Bulgarian	989805662431	1143216
Instructions for use, Trilogy EV300, simpli ed Chinese	989805662781	1143311
Instructions for use, Trilogy EV300, traditional Chinese	989805662791	1143312
Instructions for use, Trilogy EV300, Croatian	989805662581	1143291
Instructions for use, Trilogy EV300, Czech	989805662441	1143217
Instructions for use, Trilogy EV300, Danish	989805662451	1143278
Instructions for use, Trilogy EV300, Dutch	989805662661	1143299
Instructions for use, Trilogy EV300, Estonian	989805662531	1143286
Instructions for use, Trilogy EV300, Finnish	989805662541	1143287
Instructions for use, Trilogy EV300, French	989805662551	1143288
Instructions for use, Trilogy EV300, French (Canada)	989805662561	1143289
Instructions for use, Trilogy EV300, German	989805662491	1143282
Instructions for use, Trilogy EV300, Greek	989805662511	1143284
Instructions for use, Trilogy EV300, Hebrew	989805662571	1143290
Instructions for use, Trilogy EV300, Hungarian	989805662591	1143292
Instructions for use, Trilogy EV300, Italian	989805662601	1143293
Instructions for use, Trilogy EV300, Korean	989805662621	1143295
Instructions for use, Trilogy EV300, Latvian	989805662641	1143297
Instructions for use, Trilogy EV300, Lithuanian	989805662631	1143296
Instructions for use, Trilogy EV300, Macedonian	989805662651	1143298
Instructions for use, Trilogy EV300, Norwegian	989805662671	1143300
Instructions for use, Trilogy EV300, Polish	989805662681	1143301
Instructions for use, Trilogy EV300, Portuguese	989805662691	1143302
Instructions for use, Trilogy EV300, Brazilian Portuguese	989805662701	1143303
Instructions for use, Trilogy EV300, Romanian	989805662711	1143304
Instructions for use, Trilogy EV300, Russian	989805662721	1143305
Instructions for use, Trilogy EV300, Serbian	989805662751	1143308
Instructions for use, Trilogy EV300, Slovak	989805662731	1143306
Instructions for use, Trilogy EV300, Slovenian	989805662741	1143307
Instructions for use, Trilogy EV300, Spanish	989805662521	1143285
Instructions for use, Trilogy EV300, Swedish	989805662761	1143309
Instructions for use, Trilogy EV300, Turkish	989805662771	1143310

5 Roll stand and accessories

3UGHU D UROO VWDQG DQG FRQ\JXUH LW ZLWK DQ\ RI WKH SDUWV WKDW IROORZ

Roll stand

-QFOXGHV D EDVNHW D VOLGH EUDFNHW PRXQW IRU D KXPLGL\HU FRUG DQG KRVH wraps, side mounting rails, and mounting plate. The roll stand comes partially assembled.

Description	Order number	Part number
Roll stand, small product, EV300, 111 - cm (43.7- in.) high	989805660781	1141765
Roll stand, small product, EV300, 104 - cm (41- in.) high	989805660791	1141766



O_2 cylinder holder

Mounts two O_2 cylinders to the roll stand. Also order the O_2 manifold/transport kit to allow seamless transitions between wall O_2 and cylinder O_2.

Description	Order number	Part number
O_2 cylinder holder, small product roll stand, for E/M24 size cylinders (11 - cm (4.3 - in.) diameter)	989805656081	1131463
O_2 cylinder holder, small product roll stand, for 14- cm (5.5 - in.) diameter cylinders	989805656061	1132041

O_2 manifold/transport kit

Allows easy transition between wall O_2 and two O_2 cylinders without LQWHUUXSWLRQ /LWV LQFOXGHV F\OLQGHU FRQQHFWLQJ KRVHV %OVR RUGHU WKH 3 holder to mount the cylinders to the roll stand.

Description	Order number	Part number
O_2 manifold/transport kit, for DISS male O_2 tting, with green hoses	989805648241	1109602
O_2 manifold/transport kit, for NIST O_2 tting, with white hoses	989805648741	1109881
O_2 manifold/transport kit, for SIS O_2 tting, with white hoses	989805650181	1113371
O_2 manifold/transport kit, for DISS female O_2 tting, with white hoses (Canada)	989805650191	1113392



Small products roll stand conversion kit

This kit permits the small product roll stand, PN 1126379 or 1131462, to DFFRPPRGDWH WKH 8ULORJ\ ):

Description	Order number	Part number
Conversion kit, small products roll stand to Trilogy EV300	989805660771	1141764

Support arm

The support arm screws into the roll stand.

Description	Order number	Part number
Support arm, three-section	989805617961	332497



Tubing hanger s

Description	Order number	Part number
Tubing hanger, single-limb, 22-mm ID tube	989805648891	311107
Tubing hanger, dual-limb, 22-mm ID tubes	453561507401	1003661

CleanClip mask storage system

9VHG WR VWRUH DQ %* %* RU 4HUIRU1D[SHGLDWULF PDVN L H RQH WKDW includes a SODVWLF VKHOO %WWDFKHV WR HLWKHU D UDLO RU KXPLGL\HU VOLGH EUDFNHW

Description	Order number	Part number
Bracket, CleanClip mask storage	989805627181	1076430



CleanClip mask storage system



Fisher & Paykel humidi er/water bag holder

1RXQWV WKH ZDWHU EDJ KROGHU DQG KXPLGLIHU WR WKH KXPLGL\HU VOLGH EUDFNHW RI D roll stand.

Description	Order number	Part number
Bracket, water bag holder mounting, pole-mount	989805613131	1002229
Water bag holder, bent	989805613541	1002506

Mounts the water bag holder to the rail of a roll stand using the accessory post.

Description	Order number	Part number
Post, accessory, rail-mount	453561506591	1048899
Mounting kit, Fisher & Paykel humidi er with water bag holder. Includes:	989805613291	1009753
• Clamp, pole-mount	989805613311	1002230
• Bracket, water bag holder mounting, pole-mount	989805613131	1002229
• Water bag holder, bent	989805613541	1002506

Mounts the water bag holder to the stand rail using the support arm bracket.

Description	Order number	Part number
Bracket, support arm, rail-mount	989805611511	1002497
Water bag holder, bent	989805613541	1002506



Water bag holder, pole-mount

1RXQWV WKH ZDWHU EDJ KROGHU WR WKH KXPLGL\HU VOLGH EUDFNHW RI D URRO VWDQG XVL the accessory post.

Description	Order number	Part number
Bracket, water bag holder mounting, pole-mount, C-clamp style	989805605731	1052863





iDWHU EDJ KROGHU DQG KXPLGL\HU PR stand with pole-mount bracket

Mounted to roll stand rail using accessory post

6 Patient circuits

Passive single-limb circuits

Passive single-limb circuits include an exhalation port. In all passive circuits, the exhalation port is a swivel port.

Heated circuits for use with WILAmed AIRcon humidifer

WILAmed heated circuits are not available in North America.

Description	Quantity	Order number	Part number
Patient circuit, single-limb, passive, heated, single - patient use, 22 - mm ID (WILAmed)	10	989805662111	1132341
Patient circuit, single-limb, passive, heated, single - patient use, 15 - mm ID (WILAmed)	10	989805662121	1132342



1132341



1132342

Non-heated circuits

Description	Quantity	Order number	Part number
Patient circuit, single-limb, passive, non-heated, single - patient use, 15- mm ID	10	989805662091	1132339
Patient circuit, single-limb, passive, non-heated, single - patient use, 22- mm ID	10	989805662101	1132340

1132339

1132340

Exhalation ports

For use with all passive circuits. Not available in North America.

Description	Quantity	Order number	Part number
Exhalation port, swivel, disposable (WILAsilent)	10	989805643161	1139909

1139909

Active single-limb circuits

Active single-limb circuits include an exhalation valve.

,HDWHG FLUFXLWV IRU XVH ZLWK ;-0%PHG %-6FRQ KXPLGL\HU

WILAmed heated circuits are not available in North America.

Description	Quantity	Order number	Part number
Patient circuit, single-limb, with active exhalation valve, heated, single-use, 22-mm ID (WILAmed)	10	989805662161	1132346
Patient circuit, single-limb, with active exhalation valve, heated, single-use, 15-mm ID (WILAmed)	10	989805662151	1132345



1132346



1132345

Non-heated circuits

Description	Quantity	Order number	Part number
Patient circuit, single-limb, with active exhalation valve, non-heated, single-use, 22-mm ID	10	989805662141	1132344
Patient circuit, single-limb, with active exhalation valve, non-heated, single-use, 15-mm ID	10	989805662131	1132343

1132344



1132343

Dual-limb circuits

Dual-limb circuits require an active exhalation valve (p. 18) and an external]RZ VHQVRU S

,HDWHG FLUFXLWV IRU XVH ZLWK ;-0%PHG %-6FRQ KXPLG\HU

WILAmed heated circuits are not available in North America.

Description	Quantity	Order number	Part number
Patient circuit, with dual heated limbs, with proximal pressure line, single-use, 22-mm ID (WILAmed)	10	989805661961	1127303
Patient circuit, with dual heated limbs, with proximal pressure line, single-use, 15-mm ID (WILAmed)	10	989805661971	1127304



1127303



1127304

Non-heated circuits

Description	Quantity	Order number	Part number
Patient circuit, dual-limb, non-heated, with proximal pressure line, 22-mm ID, single-use	10	989805661981	1127306
Patient circuit, dual-limb, non-heated, with proximal pressure line, 15-mm ID, single-use	10	989805661991	1127307



1127306



1127307

,HDWHG FLUFXLWV IRU XVH ZLWK *LVKHU 4D\NHO 16 KXPLGL\HU

%YDLODEOH ZLWK WKH SXUFKDVH RI D KXPLGL\HU EDVH RQO\

Description	Quantity	Order number	Part number
Patient circuit, with dual heated limbs, with pressure lines, single - use, adult (Fisher & Paykel RT111) (Not shown)	10	989805652821	1120221
Patient circuit, with dual heated limbs, with auto-feed chamber, with proximal pressure line, single-use, infant (Fisher & Paykel Evaqua RT385) (Not shown)	10	989805654581	1128391
Patient circuit, with dual heated limbs, with auto-feed chamber (ows > 4 L/min), with proximal pressure line, single-use, infant (Fisher & Paykel Evaqua RT265)	10	989805662901	1141548
Patient circuit, with dual heated limbs, with auto-feed chamber, with pressure lines, single-use, adult (Fisher & Paykel RT211)*	10	989805662891	1141427

)[FOXVLYHO\ DYDLODEOH LQ WKH 97%

Flex tracheal adapters

Adapters are 15 cm (6 in.) long. Adapters PN 1073902 and 1073904 connect to VZLYHO DQG \[HG VLQJOH XVH H[KDODWLRQ SRUWV

Description	Quantity	Order number	Part number
Flex tracheal adapter, single-use, 22M/15F x 22F	10	989805633931	1073902
Flex tracheal adapter, single-use, 22M/15F x 22F	20	989805633951	1073904
Flex tracheal adapter, single-use, 22M/15F x 15M	10	989805633921	1073863
Flex tracheal adapter, single-use, 22M/15F x 15M	20	989805633941	1073903







Active exhalation valves

For single-limb use

Description	Quantity	Order number	Part number
Exhalation valve, active, single-limb (WILAmed)	10	989805662061	1131661

1131661

For dual-limb use

Description	Quantity	Order number	Part number
Exhalation valve, active (AEV), dual-limb	10	989805662411	1139436
Exhalation valve, active (AEV), dual-limb	1	989805663541	1132110
Diaphragm, dual-limb active exhalation valve (AEV), dual-limb (Not shown)	10	989805662421	1139912

1139436
1132110

Bacterial/viral lters

8 K H ; - 0 % P H G \ O W H U L V Q R W D Y D L O D E O H L Q W K H 9 7 %

Description	Quantity	Order number	Part number
Filter, bacterial/viral, single-use	10	989805609521	342077
Filter, bacterial/viral, single-patient use (WILAmed)	10	989805662371	1135776

342077

1135776

External ow sensor

Description	Quantity	Order number	Part number
Flow sensor, with cable, external, Trilogy EV300, reusable, adult/pediatric	1	989805662071	1132106
Flow sensor, with cable, external, Trilogy EV300, reusable, pediatric/infant	1	989805662081	1132107
Flow sensor, external, Trilogy EV300, reusable, adult/pediatric	1	989805662351	1134711
Flow sensor, external, Trilogy EV300, reusable, pediatric/infant	1	989805662361	1134712
Flow sensor, external, Trilogy EV300, single-patient use, adult/pediatric	10	989805664651	1146497
Flow sensor, external, Trilogy EV300, single-patient use, pediatric/infant	10	989805664661	1146558
Cable, external ow sensor, Trilogy EV300	1	989805662321	1134592

1132106
1132107

1134711
1134712

1146497

1146558

1134592

FiO_2 sensor

Description	Order number	Part number
Sensor, FiO_2	989805662341	1134668

1134668

External pulse oximeter

This highly accurate external pulse oximeter is for use with Nonin PureLight sensors.

Description	Quantity	Order number	Part number
Pulse oximeter, external (Nonin XPOD)	1	989805662051	1129640
Sensor, SpO_2, nger, reusable, adult (Nonin)	1	989805603171	936
Sensor, SpO_2, nger, reusable, pediatric (Nonin)	1	989805606971	936P
Sensor, SpO_2, cloth, disposable, adult (Noninn)	24	989805643671	1070692
Sensor, SpO_2, cloth, disposable, pediatric (Nonin)	24	989805643681	1070693
Sensor, SpO_2, cloth, disposable, infant (Nonin)	24	989805643691	1070694

1129640

936
936P

1070692

1070693

1070694

Mainstream CO_2 sensor and accessories

Description	Quantity	Order number	Part number
Sensor, mainstream CO_2	1	989803142651	M2501A
Airway adapter, mainstream CO_2, single-patient use, pediatric/adult (clear) (M2533)	10	989805618801	6063-00
Airway adapter, mainstream CO_2, single-patient use, neonatal (violet) (M2536A)	10	989805618811	6312-00
Airway adapter, mainstream CO_2, reusable, neonatal (red) (M2516A) (Not shown)	10	989805618921	7053-01
Airway adapter, mainstream CO_2, reusable, pediatric/adult (black) (M2513A) (Not shown)	1	989805618901	7007-01
Cable, adapter, mainstream CO_2 sensor to USB	1	989805662031	1127404

M2501A

6063-00

6312-00

1127404

❼ Humidi ers

Fisher & Paykel MR850 humidi er

For details consult the Fisher & Paykel website, www.fphcare.com.

,QFOXGHG HDVHV

Model	:RWDJH	Languages	Power plug	Order number	Part number
AEK	230	English	United Kingdom (G)	989805656711	1134414
ADU	230	Danish	Denmark (K)	989805656721	1134416
AEU	230	English, French, Spanish, Greek, Czech, Croatian, Slovak, Romanian	Schuko (F)	989805656631	1134418
AFU	230	Dutch, French, German	Schuko (F)	989805656641	1134399
AGU	230	French, German, Italian	Schuko (F)	989805656691	1134404
ALU	230	Italian, Portuguese, Spanish	Schuko (F)	989805656241	1133848
ANU	230	Finnish, Swedish	Schuko (F)	989805656681	1134403
ARU	230	Bulgarian, Croatian, Czech, English, Hungarian, Polish, Slovak	Schuko (F)	989805656231	1133609
JHU	115	English, French, Spanish	USA (B)	989805634131	1084284

,QFOXGHG FKDPEHUV

%YDLODEOH ZLWK WKH SXUFKDVH RI D KXPLGL\HU EDVH RQO\

Description	Quantity	Order number	Part number
Humidi er chamber, Fisher & Paykel, single-use, adult (MR290)	10	989805642931	22104

3WKHU KXPLGL\FDWLRQ SDUWV

%YDLODEOH ZLWK WKH SXUFKDVH RI D KXPLGL\HU ED

Description	Quantity	Order number	Part number
Adapter, heater wire, inspiratory-limb, MR850, for RT-series circuits (900MR806)	1	989805616981	1024934
Adapter, heater wire, dual (inspiratory/expiratory), MR850, for RT-series circuits (900MR805)	1	989805654511	1128070
Temperature probe, right-angle, for RT-series 1.83 - m (6 - ft) circuits (900MR861)	1	989805613101	1025039
Adapter, temperature probe, 22F x 22M/15F, single-use (900MR532)	1	989805642951	22161
Adapter, temperature probe, 22F x 22M, with 7.5 - mm ID probe connector, single-use	50	453561517001	22164
Adapter, temperature probe, elbow, single-use (900MR131)	1	989805642961	22184

1024934

1128070

1025039


22161


22164

22184

WILAmed AIRcon humidi er

For details consult the WILAmed website, https://live.wilamed.de/?lang=en

8KH ;-0%PHG KXPLG\HU LV QRW DYDLODEOH LQ 2RUWK %

,XPLGL\HU EDVHV

:ROWDll	Languages	Power plug	Order number	Part number
230	English	United Kingdom (type G)	989805655781	1131790
230	French, German, Spanish	Continental Europe, (Schuko, type F)	989805654761	1129565
230	English	Israel (type H)	989805655801	1131792
230	Italian	Italy (type L)	989805655791	1131791
230	French, German, Italian	Switzerland (type J)	989805655811	1131793

,XPLGL\HU FKDPEHUV

Description	Quantity	Order number	Part number
Humidi er chamber, WILAmed AIRcon, auto- ll, single-use, adult	30	989805653111	1121825
Humidi er chamber, WILAmed, single-use (500.380 C200AF Universal)	30	989805663041	1136694

❽ Patient interfaces

Masks at a glance

2-: PDVNV DUH FODVVL\HG DFFRUGLQJ WR LQWHQWLRQDO OHDN OHYHOV 0HDN PDVNV have the lowest leak. Leak 1 masks require the use of a patient circuit with an exhalation port. SE masks are typically used for ventilation with a dual-limb circuit.

Model	Type	Patient population	Single-use	Reusable
PerforMax	Total face	7 year or older and > 20 kg		
PerforMax pediatric (XXS and XS)	Total face	1 year or older and > 7 kg		
AF531	Oro-nasal	7 years or older and > 20 kg		
AF541	Oro-nasal	7 years or older and > 20 kg		
PerformaTrak	Oro-nasal	> 30 kg		
Contour Deluxe	Nasal	> 30 kg		

Total face masks

8RWDO IDFH PDVNV DOORZ TXLFN \WWLQJ DQG HOL H FKDOOHQJHV E\ sealing around the perimeter of the face, where patients have less pressure sensitivity and smoother facial contours.

PerforMax total face mask, single-use

Interchangeable elbows available for the PerforMax easily adapt one mask to multiple ventilators. The masks shown below are intended for adult and pediatric patients (7 years or older and > 20 kg). For smaller pediatric patients, see the PerforMax pediatric ordering information on p. 32.

3UGHU D JOREDO SDUW XQOHVV D UHJLRQ VSHFL\F

Elbow	Size	Quantity	Region	Order number	Part number
EE leak 2	S	10	Global	989805611281	1052535
EE leak 2	S	10	China	989805651481	CN1052535
EE leak 2	S	10	USA	989805611241	1052531
EE leak 2	L	10	Global	989805611291	1052536
EE leak 2	L	10	China	989805651491	CN1052536
EE leak 2	L	10	USA	989805611251	1052532
EE leak 2	XL	5	Global	989805634811	1080424
SE	S	10	Global	989805611301	1052547
SE	S	10	China	989805651501	CN1052547
SE	S	10	USA	989805611261	1052533
SE	L	10	Global	989805611311	1052548
SE	L	10	China	989805651511	CN1052548
SE	L	10	USA	989805611271	1052534
SE	XL	1	Global	989805634841	1080517
SE	XL	5	Global	989805634821	1080425

PerforMax single-use mask with EE leak 2 elbow



PerforMax single-use mask with SE elbow